

SUPPORT ROLLERS

Height elevating

D-SR / D-ZCJ SERIES

UMETA
fast. safe. easy.



D-ZCJ-400



SUPPORT ROLLERS

Height elevating

D-SR / D-ZCJ SERIES

DUMETA®'s support rollers are primarily used to support workpieces in combination with a welding manipulator or to rotate cylindrical work-pieces by hand



D-ZCJ-820



D-SR-1000



D-ZCJ-300



D-ZCJ-400



SUPPORT ROLLERS

Height elevating

D-SR / D-ZCJ

Technical specifications

Model	D-SR-1000	D-ZCJ-300-PU	D-ZCJ-300	D-ZCJ-400-PU	D-ZCJ-400	D-ZCJ-820
Max. capacity (kg)	1.000	2.500	3.000	3.500	5.000	5.000
Work-piece (Ø mm)	30 - 800	260 - 820	260 - 820	50 - 800	50 - 800	50 - 820
Wheels (Ø x B)	80 x 70	150 x 54	150 x 54	150 x 54	150 x 54	300 x 25
Material wheels	Polyurethane	Polyurethane	Steel	Polyurethane	Steel	Steel
Elevating stroke (mm)	500 - 670	600 - 900	600 - 900	600 - 1.000	600 - 1.000	820 - 1.030
Movable	No	Yes	Yes	Yes	Yes	Yes

All information is subject to printing-, typing errors and modifications.